

# Quick Installation Guide

4ipnet SW2008

Unified Access Switch

## Preface

4ipnet SW2008 is a 10-port (8+2SFP) 802.3af/at compliant gigabit Ethernet access switch, designed specifically for small/medium sized businesses that need to expand wired connectivity.

The SW2008 supports a total power budget of 250 watts for up to 8 powered devices, with up to 30 watts of power for each of its IEEE 802.3af/at compliant ports. Along with its 1,488,000 pps forwarding rate, the SW2008 is one of the most robust and powerful access switches in its category.

With enhanced IEEE 802.3x Flow Control feature, SW2008 is the ideal choice for businesses and organizations looking for a fully-featured and reliable 10-port access switch.

## System Overview

### Front Panel



### Rear Panel



1	<b>Power</b>	Steady green indicates the system is powered on.
2	<b>Link Status (1~10)</b>	Ethernet connection: Green when operating at 1000 Mbps and Orange when operating at 10/100 Mbps. Dim when port is not connected.
3	<b>PoE Indicator</b>	Orange when power is consumed.
4	<b>Power Supply Socket</b>	Connect power cord for power supply (Input: 100~240V AC, 50/60 Hz)
5	<b>Power Switch</b>	Power ON or Power OFF the device.

## Package Contents

1. 4ipnet SW2008 x 1
2. Quick Installation Guide (QIG) x 1
3. Power Cord x 1
4. Rack Mount Kit x 1



Power Cord




Rack Mount Kit



*It is recommended to keep the original packing material for possible future shipment when repair or maintenance is required. Any returned product should be packed in its original packaging to prevent damage during delivery.*

## Rack Mount Kit Installation



P/N: V10020141121